



Abbott

Release Date: 1/16/20

REF	Product Name
GTIN	

6C54-58 00380740009601	<i>ARCHITECT Concentrated Wash Buffer</i>
---	--

Components:

6C54	ARCHITECT Concentrated Wash Buffer
-------------	---

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

· Trade name: **ARCHITECT Concentrated Wash Buffer**

· Article number: 6C54

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the preparation: For In Vitro Diagnostic Use

1.3 Details of the supplier of the safety data sheet

· Supplier:

Abbott GmbH & Co.KG
Max-Planck-Ring 2
65205 Wiesbaden
Tel.: (+49)-6122-58-0

MSDS-Support@Abbott.com

1.4 Emergency telephone number

(+49)-6122-58-0 (English only)

Contact the CHEMTREC® Emergency Call Center for assistance with transportation or hazardous materials emergencies (24 hours/day, 7 days/week). Refer to Abbott customer number 675805.

- Telephone (800) 424-9300 (toll-free) if you are calling from within the United States, Canada, Puerto Rico and the Virgin Islands.

- Telephone +1 (703) 527-3887, the international and maritime number (collect calls accepted), if you are calling from outside the United States or from a ship at sea.

- Telephone 09 8010034 if you are calling from New Zealand.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008:

Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· Additional information: Testing has been done on a similar material to determine the hazards.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008:

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms:



· Signal word: Warning

· Hazard-determining components of labelling:

Sodium azide

(Continued on page 2)

ENG

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories

Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 1)

· Hazard statements:

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements:

P220 Keep away from acids.

P260 Do not breathe mist / vapours / spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312 IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor / physician if you feel unwell.

P304+P312 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P501 Dispose of contents / container in accordance with local regulations.

· Additional information:

EUH032 Contact with acids liberates very toxic gas.

Contains 5-Bromo-5-nitro-1,3-dioxane. May produce an allergic reaction.

· Routes of Exposure:

- Skin: No adverse effects expected when used as directed.

- Eye: No adverse effects expected when used as directed.

- Inhalation: No adverse effects expected when used as directed.

- Ingestion: No adverse effects expected when used as directed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment:

· PBT: Not applicable

· vPvB: Not applicable

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Dangerous components according to EC criteria:

CAS: 26628-22-8	Sodium azide	0.79%
EINECS: 247-852-1	Acute Tox. 2, H300; Acute Tox. 1, H310; Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 30007-47-7	5-Bromo-5-nitro-1,3-dioxane	0.19%
EINECS: 250-001-7	Skin Corr. 1B, H314; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Sens. 1B, H317	

· Additional information:

For the complete text of Hazard (H) codes displayed in this section, refer to Section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· After inhalation:

Remove from source of exposure. If irritation or signs of toxicity occur, seek medical attention.

· After skin contact:

Take off any clothing that the product touched. Rinse skin with running water for 15 to 20 minutes. Seek medical attention if irritation or signs of toxicity occur.

(Continued on page 3)

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 2)

· After eye contact:

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention. Wash hands after handling.

· **After swallowing:** Rinse mouth with water. If irritation or signs of toxicity occur, seek medical attention.

· **4.2 Most important symptoms and effects, both acute and delayed:**

Changes in blood parameters

· **4.3 Indication of any immediate medical attention and special treatment needed:**

No additional relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:**

Dry chemical, carbon dioxide (CO₂), water spray or regular foam.

- Caution: CO₂ will displace air in confined spaces and may cause an oxygen-deficient atmosphere.

- For larger fires: There are no unique chemical or reactivity hazards that would impact firefighting decisions related to this product. Use firefighting measures that suit the environment.

· **5.2 Special hazards arising from the substance or mixture**

There are no unique chemical or reactivity hazards that would impact firefighting decisions due to the chemicals in this product.

No further relevant information available.

· **5.3 Advice for firefighters**

· **Protective equipment:**

For large fires, wear appropriate heat- and flame-resistant personal protective equipment and an approved positive-pressure, self-contained breathing apparatus.

SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures**

Minimize exposure by using appropriate personal protective equipment as listed in Section 8. Stop leak if possible. Keep unprotected persons away.

· **6.2 Environmental precautions**

Prevent liquid and vapor from entering sewage system, storm drains, surface waters, and soil.

· **6.3 Methods and material for containment and cleaning up**

Blot up small volumes of spilled or spattered product with paper towels or similar materials.

- Contain larger spills by placing absorbents around the outside edges of the spill. Absorb with any material suitable for water-based liquids - e.g. paper towels, universal sorbents, sand, diatomite, sawdust, etc.

Clean the affected area. Suitable cleaners are:

- warm water and detergent or similar cleansing agent

This product contains sodium azide, which is toxic and reactive. See Sections 10 and 13 for additional information that could affect handling and disposal of contaminated spill materials.

NOTE FOR LARGE-VOLUME SPILL: This product contains sodium azide, which reacts with acid to liberate hydrazoic acid, a very toxic gas. Select a disinfectant with the following properties if disinfection of materials used to absorb a large volume of spilled product is required:

- Do not use any chemical or product with a pH below 6 to disinfect waste that contains sodium azide. Hydrazoic acid, a toxic gas, will be released when the pH is lower than 6.

(Continued on page 4)

ENG

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 3)

- Do not use any chemical or product that contains mercury or any other metal to disinfect waste that contains sodium azide. This will create metal azide compounds, which can be highly explosive under pressure or shock (percussion).
- Select a disinfectant that does not bubble, effervesce or otherwise generate aerosols.
- Do not use excess disinfectant.
- Failure to follow manufacturer's directions may lead to unexpected reactions with the waste.
- Do not use a disinfectant if you do not have the proper facility, equipment and other appropriate protective measures available to work with it safely.

Dispose of spilled and contaminated material in accordance with Federal, State, and Local regulations. See Section 13 for information that may impact disposal of materials contaminated with this product.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Avoid direct contact with material. If handled, wash thoroughly. Practice general safety precautions.

- **Information about protection against explosions and fires:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

- **Requirements to be met by storerooms and containers:** Store only in the original container.

- **Information about storage in one common storage facility:** Store in original packaging.

- **Further information about storage conditions:**

Refer to the package insert or product label for additional information on storage conditions for product quality.

- **7.3 Specific end use(s):** No additional relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

CAS: 57-55-6 Propylene glycol (1.71 %)

WEL (Great Britain)	Long-term value: 474* 10** mg/m ³ , 150* ppm *total vapour and particulates **particulates
---------------------	--

CAS: 26628-22-8 Sodium azide (0.79 %)

IOELV (European Union)	Short-term value: 0.3 mg/m ³ Long-term value: 0.1 mg/m ³ Skin
WEL (Great Britain)	Short-term value: 0.3 mg/m ³ Long-term value: 0.1 mg/m ³ (as NaN ₃), Sk

(Continued on page 5)

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 4)

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Always maintain good housekeeping and follow general precautionary measures. Do not eat, drink or store food and beverages in areas where chemicals or specimens are used. Wash hands before breaks, after handling reagents and specimens, and at the end of the workshift.

Breathing equipment:

Normal use and storage of product - respiratory protection is not necessary if room is well ventilated.

Small-volume spills (e.g. small enough to clean up with a paper towel or small sorbent pad) - respiratory protection should not be necessary if room is well ventilated.

Other unusual conditions (e.g. volume spilled too big to clean up with materials in arm's reach) - Use appropriate air-purifying respirator if airborne chemical concentrations may exceed the exposure limit (if any) listed above.

Hazardous Materials Emergencies or Firefighting - use approved respiratory protection.

Take precautions if chemical concentrations exceed the exposure limits (if any) listed above.

Protection of hands:

Wear impervious gloves if hand contact with the material is anticipated. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices.

Material of gloves and breakthrough time of the glove material:

The glove material must be suitable for use in a microbiological laboratory and have a measured breakthrough time of at least 30 minutes, such as those with a Class 2 protection index per EN374 (or equivalent standard applicable in your region). NOTE: This recommendation applies only to the product stated in this Safety Data Sheet. When dissolving in or mixing with other substances, contact the supplier of approved gloves.

Eye protection:

Wear safety glasses or other protective eyewear. If splash potential exists, wear full face shield or goggles.

Body protection:

Normal use: protect personal clothing from spatters and small spills. Wear a laboratory coat (or other protective clothing required by your institution). Larger spills (e.g. that can saturate cloth): wear appropriate water-repellant covering over clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid
Colour: Colourless

Odour: Odourless
Odour threshold: Not determined

pH-value at 20 °C: 6.8

Change in condition:

Melting point/freezing point: Not determined

(Continued on page 6)

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 5)

· Initial boiling point and boiling range: Not determined	
· Flash point:	Not applicable
· Inflammability (solid, gaseous):	Not applicable
· Auto igniting	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits	
· Lower:	Not determined
· Upper:	Not determined
· Vapour pressure:	Not determined
· Density at 20 °C	1.065 g/cm ³
· Relative density:	Not determined
· Evaporation rate:	Not determined
· Solubility in / Miscibility with	
· Water:	Fully miscible
· Viscosity:	
· dynamic:	Not determined
· Water:	88.3 %
· Solids content:	0.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability:**
 - **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions:**
This product contains sodium azide. Sodium azide solutions are reported to:
 - react with acids to release hydrazoic acid, a very toxic gas. Higher quantities of hydrazoic acid are released as the solution becomes more acidic (i.e., as the pH of the solution gets lower). Low quantities of hydrazoic acid can be released from sodium azide in water.
 - react with certain metals (copper, lead, silver, brass) to form explosive metal azide compounds. Violent explosions have been reported during plumbing work on drain systems containing accumulations of azide on copper, lead, brass, or solder.
- **10.4 Conditions to avoid:** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
 - **Acute toxicity**
Harmful if swallowed.

(Continued on page 7)

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 6)

· LD/LC50 values that are relevant for classification:

· Ingredients (100% pure substance/s):

CAS: 26628-22-8 Sodium azide

Oral	LD50	27-46 mg/kg (mammal) LD50 = 27-46 mg/kg in rats and mice.
Dermal	LD50	27 mg/kg (rat)
Inhalation	LD50 LC50 1 h	20 mg/kg (rabbit) 47 ppm (rat) LD50 (Intratracheal) = 47 mg/kg in rats. Signs of toxicity included spastic paralysis with and without sensory change. LC50 estimated at 1,000 ppm 1 hour with LC zero of 849-976 ppm/1 hour in rats for hydrazoic acid. Hydrazoic acid vapor or mist irritating to eyes and respiratory tract.
	Mutagenicity	(Ames Assay) Positive in the Ames test. (mammalian cells) Human lymphocytes: No evidence of chromosomal damage. Sperm morphology assay in mice: No adverse effects on sperm morphology. Chinese hamster ovary cells: Increase in sister chromosome exchanges but no evidence of chromosomal damage.
	Target Organ Effects	(human) Sodium azide acts on smooth muscles of the blood vessels producing a rapid decrease in blood pressure. It also interferes with cellular respiration. In animal studies, sodium azide has produced demyelination of nerve fibers in the central nervous system, damage to the thalamus and cerebrum, damage to the optic nerves, testicular injury and fetotoxicity at maternally toxic dosages. (rat) Negative in a NTP bioassay in rats by gavage at dosages of 5 or 10 mg/kg/day but did produce a possible increase in pituitary and mammary tumors at dietary concentrations of 100 ppm or more in a feeding study in rats.

· Primary irritant effect:

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· Sensitisation: Based on available data, the classification criteria are not met.

· Additional toxicological information: None

· Target organs/systems: Blood

· CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

- **Aquatic toxicity:** No further relevant information available.

· 12.2 Persistence and degradability: No further relevant information available.

(Continued on page 8)

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 7)

- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- **Additional ecological information**
 - **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Harmful to aquatic organisms.

Refer to applicable local regulations for limit values of discharge into sewage system.
- **12.5 Results of PBT and vPvB assessment**
 - **PBT:** Not applicable
 - **vPvB:** Not applicable
- **12.6 Other adverse effects:** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

There are no uniform EU regulations for the disposal of laboratory waste. In general, laboratory waste is under special supervision of the authorities.

 - **Recommendation for disposal of unused product:**

Dispose in accordance with national, state and local regulations and institutional requirements. Waste containing this product may be considered hazardous per state or local regulations. The following may be particularly important when identifying appropriate disposal:

 - Contains sodium azide. See Section 10 when considering how to appropriately dispose of unused product.

For drain systems with pipes or solder containing copper, lead, brass and/or silver, flush drains thoroughly with copious amounts of water to prevent the formation of potentially explosive metal azides in plumbing. Detailed information about azides in drains is available from the U.S. NIOSH Current Intelligence Bulletin No. 13 (August 16, 1976).

· European waste catalogue:	
HP6	Acute Toxicity
HP12	Release of an acute toxic gas
HP14	Ecotoxic

 - **The following waste disposal key numbers are possible:**

18 01 06: chemicals consisting of or containing dangerous substances
 - **Uncleaned packagings**

For disposal of contaminated packaging, refer to applicable local regulations and institutional policies.

 - **Recommendation for disposal of packaging:**

Non-contaminated packaging may be used for recycling. Refer to applicable local regulations and institutional policies.

For disposal of contaminated packaging, refer to applicable local regulations and institutional policies.
 - **Recommended cleaning agent:** Water with cleansing agents, if necessary.

SECTION 14: Transport information

- **14.1 UN-Number**
 - **ADR, ADN, IMDG, IATA** None

(Continued on page 9)

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 8)

· 14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA None

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA
· Class None

· 14.4 Packing group

· ADR, IMDG, IATA None

· 14.5 Environmental hazards

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable

· Transport/Additional information

· ADR

· Remarks: Not restricted for transportation.

· IMDG

· Remarks: Not restricted for transportation.

· IATA

· Remarks: Not restricted for transportation.

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

The information and recommendations contained herein are based upon information or tests believed to be reliable. Abbott Laboratories does not guarantee the accuracy or completeness of this information or recommendations contained herein, NOR SHALL ANY OF THIS INFORMATION CONSTITUTE A WARRANTY, WHETHER EXPRESSED OR IMPLIED, AS TO THE SAFETY OF THE GOODS, THE MERCHANTABILITY OF THE GOODS, OR THE FITNESS OF THE GOODS FOR A PARTICULAR PURPOSE.

This information is not a substitute for the advice of a health care professional, nor is it a recommendation for any particular course of treatment. It is not intended to supplement, modify or supersede any information provided with respect to the medical use of the product. Abbott Laboratories assumes no responsibility for results obtained or for incidental or consequential damages, including lost profits, arising from the use of these data. No warranty against infringement of any patent, copyright or trademark is made or implied.

· Complete text for H (Hazard) codes displayed in Section 3:

Note: The respective H statements apply to the pure substances.

H300 Fatal if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

(Continued on page 10)

Safety Data Sheet

according to 1907/2006/EC, Article 31

© Abbott Laboratories

Release date 16.01.2020

Version number 32

Last alteration on 14.01.2020

Trade name: ARCHITECT Concentrated Wash Buffer

(Continued from page 9)

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Contact supplier

Environmental Affairs & Product Safety

Tel.: +49 (0) 6122 58 0

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (Division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: persistent, bioaccumulative and toxic

vPvB: very persistent and very bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 1: Acute toxicity – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Sens. 1B: Skin sensitisation – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

*** Data compared to the previous version altered.**

ENG